

MG SARIKAYA



PRODUCT CATALOG

Bringing Turkey's agricultural strength to the world's tables

Since the 1940s

www.mcsarikayagida.com
info@mcsarikayagida.com

Contents

MC SARIKAYA GIDA	
About Us	3
Our Quality Control Process	4
Our Export and Target Markets	5
Our Shipment Standards	6
Season Calendar	46
Citrus	
Mandarin	8
Orange	9
Lemon	10
Grapefruit	11

Vegetables	
Tomato	13
Pepper	14
Cucumber	15
Eggplant	16
Zucchini	17
Lettuce	18
Spinach	19
Cauliflower	20
White Cabbage	21
Red Cabbage	22
Leek	23
Carrot	24
Garlic	25
Dry Onion	26
Potato	27

Fruits	
Cherry	29
Sour Cherry	30
Grapes	31
Fig	32
Apricot	33
Pomegranate	34
Strawberry	35
Peach	36
Nectarine	37
Plum	38
Watermelon	39
Melon	40
Apple	41
Pear	42
Quince	43
Persimmon	44
Kiwifruit	45

MC SARIKAYA GIDA

About Us

Backed by generations of family experience reaching back to the 1940s, MC Sarıkaya Gıda supplies carefully selected fresh fruit and vegetables from Turkey's most fertile growing regions to domestic and international markets. Our story stretches from handcart trading in Istanbul's historic wholesale markets to today's cold-chain export operation; Gül Tarım Ürünleri, which carries the family's roots, still operates at unit No: 304 of the Istanbul Bayrampaşa Fruit and Vegetable Market.

Today we ship 135 varieties across 36 products from 20 growing regions, each checked for caliber, ripeness, and visual quality and packed to market specification. An unbroken cold chain, flexible transport-mode planning (road, sea, air, or combined), and on-time delivery are the fixed standards of every shipment. From Russia and the CIS to the Middle East, the Gulf, and Europe, we aim to build long-term partnerships based on trust.

A wide supply network spanning Turkey's diverse production regions keeps our product range and supply continuity secure year-round.

50+

Years of Experience

36

Products

135

Varieties

20

Sourcing Regions

FIVE STEPS FROM FIELD TO TABLE

01

Sourcing

02

Quality
Control

03

Packing

04

Cold Chain

05

Shipment



Our Quality Control Process

Every product passes through multiple inspection steps, from the supply region all the way to shipment. This process safeguards the product's freshness and compliance with standards:

1

Sourcing & Selection

Products from our grower partners are assessed at the source for ripeness and compliance with visual standards.

2

Sizing & Grading

Products are classified by size, color, and degree of ripeness to ensure homogeneous batch consistency.

3

Standards-Compliant Packaging

Each product is packed with product-specific packaging materials that comply with official packaging regulations for the fresh fruit and vegetable trade.

4

Cold Chain & Storage

Products are kept in cold storage until shipment; transport is carried out in reefer containers with an uninterrupted cold chain.

Our Export and Target Markets

In addition to supplying the Turkish domestic market, we aim to build a presence in export markets, primarily Russia, the Middle East/Gulf countries, and European/global markets, and we are open to international partnerships.

1

Europe & Balkans

Mainly refrigerated road transport; preparation to the caliber and labeling standards of retail chains.

2

Russia & CIS

The largest traditional market for Turkish fresh produce; high-volume, regular shipment demand in citrus, tomatoes, and grapes.

3

Middle East & Gulf

Strong demand in citrus and stone fruit; road, sea reefer, or air cargo combinations depending on route and product.

4

Distant Markets

Mainly reefer container shipments to Far East Asia and other overseas markets, supported by air cargo depending on product and deadline.

Shipment Practices

- Refrigerated truck loading: roughly 20-22 tons / 33 euro pallets
- 40' reefer container: 20-24 pallets depending on product, with temperature logging
- Mixed pallet and mixed container preparation available
- Flexibility across EXW, FOB, CIF, and DAP terms
- Private label packaging to buyer specification

Our Shipment Standards

Preserving the freshness of fresh fruit and vegetables from source to destination is at the heart of our shipment planning.

1

Palletizing

80×120 cm EUR and 100×120 cm ISO pallets; corner boards and strapping, mixed pallets available.

2

Cold Chain

Pre-cooling and carriage at 0-14°C by product group; temperature data logger reporting on request.

3

Capacities

Refrigerated truck roughly 20-22 tons / 33 euro pallets; 40' reefer container 20-24 pallets by product.

4

Transport Mode Planning

The transport mode is never fixed; refrigerated road, sea reefer, air cargo, or combined transport are weighed together based on destination, shelf life, and delivery deadline.



Citrus

4 products · 30 varieties



CITRUS

Mandarin

Miho Wase, Okitsu, Primasol, Satsuma, Dobashi Beni, Clementine, Fremont, Nova, W.Murcott, Minneola, Tango

The mandarin's homeland is Southeast Asia; citrus trees that reached the Mediterranean coast during the Ottoman era gradually became an indispensable part of Turkey's winter fruit culture.

REGIONS

Mersin, Adana, Antalya, İzmir

SEASON WINDOW

Sep – Apr

Growing & Harvest

Mandarins are grown in open-field orchards along the Mediterranean coastal belt, where mild winters and long hours of sunshine reduce the risk of frost; greenhouse cultivation is not common for citrus. It typically takes a few years after planting before a tree bears its first meaningful crop, with full yields following as the tree matures. Fruit is picked by hand with clippers to avoid bruising and protect the peel, with each variety harvested within its own ripeness window based on peel color and sugar-acid balance.

Uses & Applications

Mandarins are grown mainly for fresh table consumption; their easy-peel habit and seedless varieties make them a convenient eating fruit, and they're also used in desserts, salads, and juice. Export buyers generally look for uniform size, glossy peel, and good shelf life; cold storage and careful handling after harvest are key to keeping the peel and fruit quality intact.

Sizes & Calibers

Size Code (mm)	Range
1-XXX	78 mm and above
1 / 1-X	63-74 mm
2	58-69 mm
4	50-60 mm
5	46-56 mm
7	41-48 mm
8	39-46 mm
10	35-42 mm

Packaging Options

5 kg corrugated carton

Ventilated, palletized shipping

10/15 kg carton or mesh bag

Bulk shipment on a 100×120 cm pallet

1-2 kg retail mesh or flow-pack

Shelf-ready packing on request

Featured Varieties

Miho Wase

Very early season, Satsuma type


Okitsu

Early season, Satsuma type


Primasol

Early season, low-seed


Satsuma

Thin-skinned, seedless


Dobashi Beni

Deep orange-red peel, Satsuma type


Clementine

Easy-peeling, seedless


Fremont

Clementine x Ponkan cross, mid-season


Nova

Orange-red peel


W.Murcott

Late season, intensely sweet


Minneola

Tangelo (mandarin x grapefruit);...


Tango

Seedless, very late season





CITRUS

Orange

Washington Navel, Navelina, Fukumoto, Cara Cara, Moro, Finike, Navelate, Valencia, Lane Late

The orange reached the Mediterranean via New World trade routes; today the Mersin and Adana coastal strip is among Turkey's leading orange production regions.

REGIONS

Mersin, Adana, Antalya, Hatay

SEASON WINDOW

Oct – Jun

Growing & Harvest

Orange trees are grown in open-field orchards on coastal plains where mild Mediterranean winters meet hot summers; sites with low frost risk and long sun exposure are preferred for new plantings. The trees begin bearing fruit within a few years of planting and are long-lived, with yields increasing over time. Harvest is done by hand; because peel color doesn't always match internal ripeness exactly, picking time is usually confirmed with brix (sugar) and acidity measurements.

Uses & Applications

Oranges are grown for both fresh table consumption and the juicing industry; seedless navel types like Washington Navel and Navelina go mostly to the fresh market, while late-season varieties like Valencia serve both table use and juice pressing. For fresh export, glossy, blemish-free peel and consistent sizing are key criteria; cold storage and careful handling after harvest help the fruit stay fresh over long-distance shipments.

Sizes & Calibers

Size Code (mm)	Range
0	92-110 mm
2	84-96 mm
4	77-88 mm
6	70-80 mm
7	67-76 mm
9	62-70 mm
11	58-66 mm
13	53-60 mm

Packaging Options

40×60×18 cm carton
Washington 12 kg (72 boxes on a 100×120 cm pallet) or Navelina/Finike 16 kg (60 boxes)
30×50×18 cm carton
Valencia 16 kg net, 60 boxes on a 100×120 cm pallet
1-2 kg retail net
Shelf-ready packing on request

Featured Varieties

Washington Navel

Navel, seedless

J F M A M J J A S O N D

● ● ● ● ● ● ● ● ● ● ● ●

Navelina

Early season

J F M A M J J A S O N D

● ● ● ● ● ● ● ● ● ● ● ●

Fukumoto

Early navel; deeply colored rind

J F M A M J J A S O N D

● ● ● ● ● ● ● ● ● ● ● ●

Cara Cara

Pink-red fleshed navel; high shelf appeal

J F M A M J J A S O N D

● ● ● ● ● ● ● ● ● ● ● ●

Finike

Local table variety identified with Finike,...

J F M A M J J A S O N D

● ● ● ● ● ● ● ● ● ● ● ●

Moro (Blood Orange)

Red-fleshed blood orange; midwinter...

J F M A M J J A S O N D

● ● ● ● ● ● ● ● ● ● ● ●

Navelate

Late navel; holds quality on the tree for months

J F M A M J J A S O N D

● ● ● ● ● ● ● ● ● ● ● ●

Valencia

Late season, table and processing use

J F M A M J J A S O N D

● ● ● ● ● ● ● ● ● ● ● ●

Lane Late

Very late season, navel

J F M A M J J A S O N D

● ● ● ● ● ● ● ● ● ● ● ●



CITRUS

Lemon

Mayer, Interdonato, Lamas, Kutdiken, Eureka

Lemon trees have been grown along Turkey's coasts for centuries under the generous sun of the Mediterranean climate; being one of the few fruits that can be harvested year-round gives it a special place in exports.

REGIONS

Mersin, Adana, Antalya, Muğla, Hatay

SEASON WINDOW

All Year

Growing & Harvest

Lemons are among the most cold-sensitive citrus types, so they are grown in open-field orchards along the coastal strip where frost risk is lowest and the sea helps moderate winter temperatures. A distinctive trait of the lemon tree is that it flowers more than once a year, which is why different varieties come to harvest in different months. Fruit is picked by hand, with peel color and firmness serving as the main indicators of readiness.

Uses & Applications

Beyond fresh table use, lemon is one of the most versatile citrus fruits in the kitchen, with both its juice and zest used in salads, drinks, marinades, and desserts. It is also processed industrially into lemon juice and essential oils. Export markets generally favor firm-skinned, juicy fruit with good shelf life; properly stored after harvest, lemons keep fresh for a comparatively long time next to many other fruits.

Sizes & Calibers

Size Code (mm)	Range
0	79-90 mm
1	72-83 mm
2	68-78 mm
3	63-72 mm
4	58-67 mm
5	53-62 mm
6	48-57 mm
7	45-52 mm

Packaging Options

40×30×18 cm carton
10 kg net, 100 boxes on a 100×120 cm pallet

0.5-1 kg retail net
Shelf-ready packing on request

Featured Varieties

Mayer

The season's earliest lemon, thin-skinned



Interdonato

Early season



Lamas

Winter season, harvested between November and February



Kutdiken

Turkey's most widely grown lemon variety; supplied from cold storage into...



Eureka

Summer lemon; the summer link in the year-round supply chain





CITRUS

Grapefruit

Star Ruby, Ruby Red, Rio Red, White Marsh, Henderson

Grapefruit, introduced to the Mediterranean region in the early 20th century, is today an important part of Turkey's citrus export portfolio.

REGIONS

Mersin, Adana, Hatay

SEASON WINDOW

Nov – Mar

Growing & Harvest

Grapefruit needs a higher heat accumulation than other citrus types, so in Turkey it is grown mainly in open-field orchards along the hottest, longest-summer stretches of the Mediterranean coast. The trees tend to be larger and more imposing than other citrus varieties. Fruit is picked by hand; for red-fleshed varieties, the depth of internal color and the sugar-acid balance are the main criteria used to judge harvest timing.

Uses & Applications

Grapefruit is grown primarily for fresh table consumption; it's commonly halved and eaten as a breakfast fruit, and also used in juices and salads. Red-fleshed varieties are favored in the fresh market for their vivid color and comparatively sweeter profile, while white-fleshed varieties are prized for their sharper, more classic grapefruit flavor. Export markets typically call for large-caliber, firm-skinned fruit; cold storage after harvest helps preserve grapefruit's relatively long shelf life.

Sizes & Calibers

Size Code (mm)	Range
0	139 mm and above
1	109-139 mm
3	93-110 mm
4	88-102 mm
5	84-97 mm
6	81-93 mm
8	73-85 mm
9	70-80 mm

Packaging Options

40×60×18/21 cm carton
15 kg net, 55 boxes on a 100×120 cm pallet

Ventilated telescopic carton (15-20 kg)
Common alternative format in international markets

Featured Varieties

Star Ruby

Red flesh



Ruby Red

Red-pink flesh, close relative of Star Ruby



Rio Red

Red flesh, sweet



White Marsh

White flesh, seedless



Henderson

Early season, red flesh





Vegetables

15 products · 34 varieties

VEGETABLES

Tomato

Truss, Cherry, Pink

The tomato is a plant of South American origin; it reached Anatolia in the 18th century, entered Ottoman cuisine in the 19th century, and today Turkey is among the world's leading tomato producers.



REGIONS

Antalya, Mersin, Muğla

SEASON WINDOW

All Year

Growing & Harvest

In Antalya and Mersin, tomatoes are grown mostly under glass or plastic cover, trained upward on string trellises; plants are pruned and tied at intervals to support this vertical growth. Covered production lets growers control temperature and humidity, which extends the harvest window, while open-field plots come into play especially during the hot summer months. Harvest is done by hand in stages as fruit reaches the right ripeness, which allows several pickings from the same truss over time.

Uses & Applications

Tomato is a staple vegetable that appears in almost every Turkish dish; it is eaten raw in salads, cooked in stews, and processed into paste and sauce. Export markets favor the truss presentation for its fresh appearance, while cherry tomatoes are seen as a snacking and garnish item and pink tomatoes, thanks to their low acidity, are prized for raw eating. Maintaining the cold chain after harvest is key to keeping fruit quality over longer periods.

Sizes & Calibers

Diameter (mm)	Range
47-57 mm	Small-medium caliber
57-67 mm	Medium caliber, most requested band
67-82 mm	Large caliber
82-102 mm	Extra-large caliber

Packaging Options

Truss/Pink tomato: 5/6 kg perforated washable plastic crate
Ventilated, palletized shipping

Cherry tomato: 250/500 g clear clamshell
6-12 clamshells per carton

General vegetable carton 40x30x14/18/24 cm
1-4 layers, 6-7 kg, 80-120 boxes on a 100x120 cm pallet

Featured Varieties

Truss Tomato

Greenhouse-grown; available year-round through multi-region sourcing



Cherry Tomato

Greenhouse-grown; available year-round through multi-region sourcing



Pink Tomato

Greenhouse-grown, sweet and low-acid; available year-round through multi-region sourcing



VEGETABLES

Pepper

Capia, Bell, Long Green, Çarliston

Pepper entered Anatolian cuisine via Mediterranean trade routes during the Ottoman era; today, especially in the Antalya region, most production takes place under cover (in greenhouses).



REGIONS

Antalya, Mersin, Adana

SEASON WINDOW

All Year

Growing & Harvest

Pepper is a warm, sun-loving crop grown in both greenhouses and open fields across Antalya and Mersin. In greenhouse production, seedlings are planted at set row spacings and trained upward on a wire system, which improves air circulation and lowers disease pressure; open-field plots see a marked rise in yield during the summer months. Harvest is done by hand, cutting fruit along with its stem once it reaches the desired color and size.

Uses & Applications

Pepper varieties are used widely across Turkish cuisine, both raw and cooked. Capia pepper goes into frying, charring, and paste-making; bell pepper is stuffed and baked; long green pepper is fried or served as a side. In export markets, vivid color and a fresh-looking stem are key quality markers, and rapid cooling after harvest helps preserve that freshness.

Sizes & Calibers

Diameter (mm) / Length	Range
50-70 mm	Blocky pepper, small-medium caliber
70-110 mm	Blocky pepper, medium-large caliber
12-16 cm	Pointed/Çarliston pepper, standard length
16-20 cm	Pointed/Çarliston pepper, long

Packaging Options

5 kg perforated plastic crate
Ventilated, palletized shipping

General vegetable carton 40×30×14/18/24 cm
6-7 kg, 80-120 boxes on a 100×120 cm pallet

1-2 kg retail net/bag
Shelf-ready packing on request

Featured Varieties

Capia Pepper

Red, sweet; year-round in greenhouses, summer peak in open fields



Bell Pepper

Large, plump; year-round in greenhouses, summer peak in open fields



Long Green Pepper

Long thin pepper; open-field summer peak, also grown in greenhouses



Çarliston Pepper

Large, slightly curved; mainly open-field harvest in summer-autumn...



VEGETABLES

Cucumber

Crisp cucumber, Pickling cucumber (Kornişon)

The cucumber has been grown for centuries in Anatolia's cooler-climate regions; with modern greenhouse technology, it now reaches tables fresh year-round.



REGIONS

Antalya, Mersin, İzmir, Manisa

SEASON WINDOW

All Year

Growing & Harvest

Crisp cucumber is generally grown under greenhouse conditions in Antalya and Mersin, trained vertically up a wire system; this method keeps fruit evenly shaped and makes harvesting easier. Pickling cucumber (kornişon), by contrast, is mostly grown in open fields with row planting, and fruit is picked by hand at frequent intervals while still small. Because cucumber needs steady watering and grows quickly, frequent picking encourages the plant to keep setting new fruit.

Uses & Applications

Crisp cucumber is intended for fresh eating; it is used raw in salads, tzatziki-style yogurt dips, and sandwiches, and its thin skin is usually eaten unpeeled. Pickling cucumber, thanks to its small size and firm texture, is suited to pickle production and is used in both fermented and vinegar-based pickling. In export markets, crisp cucumber is judged on its smooth cylindrical shape and glossy green color, while pickling cucumber is judged on size uniformity.

Sizes & Calibers

Weight / Length	Range
250-300 g	Standard caliber (10-12 count)
300-400 g	Medium-large caliber
400-500 g	Large caliber (14 count)
6-12 cm	Mini/gherkin type

Packaging Options

10 kg perforated plastic crate
Palletized shipping

Individual shrink-wrap
For long-type cucumbers, on request, to extend shelf life

Featured Varieties

Crisp Cucumber

Greenhouse-grown, spring peak, available year-round



Pickling Cucumber (Kornişon)

Open-field grown, harvested small for pickling use





Kemer, Pala, Aydın Black

REGIONS

SEASON WINDOW

Growing & Harvest

Sizes & Calibers

Packaging Options

Featured Varieties

Long, dark purple skin; widely grown in greenhouses along the Mediterranean coast



Mid-early season, black-purple skin, medium size



Early-season, open-field variety; long, dark purple-black skin, flesh that does not turn bitter; widely grown in the Aegean/Aydın region





VEGETABLES

Zucchini

Summer squash

Zucchini is one of the oldest vegetables in Anatolian agriculture; it has become an indispensable part of gardens and tables during the summer months.

REGIONS

Antalya, Mersin

SEASON WINDOW

May – Oct

Growing & Harvest

Summer squash is a warmth-loving, fast-growing crop grown in both open fields and under cover across Antalya and Mersin. Its non-vining, semi-bushy growth habit allows for evenly spaced row planting and multiple harvests from a single plant. Fruit is picked young, while the skin is still thin and the fruit has not fully matured; this early harvest benefits both flavor and shelf life.

Uses & Applications

Summer squash is a versatile vegetable used across Turkish home cooking, in both main dishes and mezze; it is a core ingredient in squash stews, fritters, stuffed dishes, and oven-roasted vegetable mixes. Its thin skin can be eaten without peeling, which simplifies preparation. Fruit with thin skin, a glossy surface, and firm texture is preferred for fresh consumption, and storing it in cool, humid conditions after harvest helps preserve freshness.

Sizes & Calibers

Length (cm)	Range
14-20 cm	Young fruit, standard export size
20-25 cm	Medium size
10-25 cm	General marketable range (3-10 cm diameter)

Packaging Options

8/10 kg perforated plastic crate
Palletized shipping, lined stacking

Featured Varieties

Summer Squash

Open-field and greenhouse production



VEGETABLES

Lettuce

Iceberg, Curly-Leaf Lettuce, Batavia Lettuce

Lettuce is a staple leafy vegetable of Mediterranean cuisine and salad culture; the Antalya plain, with its greenhouse and tunnel production, is one of Turkey's leading supply regions for winter lettuce.



REGIONS

Antalya, Mersin, Muğla

SEASON WINDOW

Oct – Apr

Growing & Harvest

In Antalya and Mersin, lettuce is grown both under greenhouse/tunnel cover and in open fields, with a short growing cycle that allows successive planting nearly year-round; cool, moist conditions favor fast, crisp leaf development, while excessive heat raises the risk of premature bolting. Harvest is done by hand once the head reaches the desired firmness and weight, followed by rapid cooling to preserve freshness.

Uses & Applications

Lettuce is a core ingredient in fresh salads; iceberg is favored in burgers and sandwiches for its crisp texture and neutral flavor, while curly-leaf lettuce suits traditional salads with its softer leaf structure. In export shipments, head firmness, leaf gloss, and freshness at the cut surface are regarded as quality markers; an unbroken cold chain significantly extends shelf life.

Sizes & Calibers

Head Weight	Range
250-350 g	Small head
350-500 g	Medium head, standard market size
500-800 g	Large head

Packaging Options

8/10/12-count carton box
Sized by head count, export standard

Individual stretch/film wrap
Retail shelf format

Perforated plastic crate
Cold-chain domestic shipping, palletized

Featured Varieties

Iceberg
Greenhouse-driven winter-spring supply, limited summer availability



Curly-Leaf Lettuce
Available year-round, greenhouse-driven in winter



Batavia Lettuce
Spring and autumn-weighted production



VEGETABLES

Spinach

Savoy-Leaf, Smooth-Leaf, Baby Spinach

Spinach is among the most widely eaten leafy vegetables in Turkish cuisine for its high nutritional value; favoring cool growing conditions, it is grown intensively in coastal regions during the winter and spring months.



REGIONS

Antalya, Mersin, İzmir

SEASON WINDOW

Nov – Mar

Growing & Harvest

In Antalya, Mersin, and Izmir, spinach is a fast-growing leafy crop planted in successive cycles from autumn through spring; cool, moist conditions favor tender, dark-green leaf development, while hot weather raises the risk of premature bolting. Harvest is done by hand or machine once leaves reach the desired length; an earlier harvest suits baby spinach, while a later harvest suits processing-grade spinach.

Uses & Applications

Spinach is used both raw and cooked in Turkish cuisine; baby spinach leaves go into fresh salads, while mature leaves are used in traditional recipes such as olive-oil spinach dishes and dumpling or pastry fillings. In export markets, washed and bagged baby spinach is in demand in the ready-to-eat salad segment. Dark-green color and leaf turgor are regarded as quality markers; rapid post-harvest cooling is key to preserving freshness.

Sizes & Calibers

Leaf Length	Range
5-10 cm	Baby leaf, salad grade
10-20 cm	Standard bunch size
20 cm+	Large leaf, processing grade

Packaging Options

125-200 g washed baby spinach bag

Salad grade, shelf-ready retail format

0.5-1 kg bunch/bag

Fresh-bunch wholesale and retail shipping

5-8 kg perforated plastic crate

Cold-chain wholesale shipping, palletized

Featured Varieties

Savoy-Leaf Spinach

Winter-weighted production, bunch and processing grade



Smooth-Leaf Spinach

Year-round, greenhouse-supported production



Baby Spinach

Early harvest, year-round greenhouse production for the ready-to-eat salad segment



VEGETABLES

Cauliflower

Winter White Cauliflower, Early-Season Cauliflower

Cauliflower is a leading brassica of the Mediterranean coastal belt during the winter months; the mild winter climate of the Antalya plain makes it a key supply region for Turkey's cauliflower exports.



REGIONS

Antalya, Mersin

SEASON WINDOW

Nov – May

Growing & Harvest

In Antalya and Mersin, cauliflower is planted with seedlings in autumn and harvested through winter; cool, moist conditions support the formation of a firm white curd, while the leaves folding over the head prevent sun exposure and keep the color white. Harvest is done by hand once the curd reaches the desired firmness and diameter, followed by rapid cooling to preserve freshness.

Uses & Applications

Cauliflower is widely used boiled or fried in Turkish cuisine, in olive-oil and meat dishes alike; in export markets it is favored for steaming and roasting recipes. Curd color, firmness, and the compact structure of the florets are regarded as quality markers; rapid post-harvest cooling and storage in humid conditions help preserve freshness for longer.

Sizes & Calibers

Diameter (cm)	Range
11-14 cm	Small
14-18 cm	Medium, standard market size
18 cm+	Large

Packaging Options

5-6 count net/film-wrapped carton box
Head-protective export format

8-10 kg perforated plastic crate
Cold-chain domestic shipping, palletized

Featured Varieties

Winter White Cauliflower

Main crop; autumn planting, winter harvest



Early-Season Cauliflower

Limited late-spring/summer harvest



VEGETABLES

White Cabbage

Round winter white/green cabbage

White cabbage is one of the oldest and most widely grown cultivated vegetables in Anatolia; with its firm-leafed, large head and long storage life, it remains a staple vegetable of the winter season.



REGIONS

Samsun, Sakarya, Bursa

SEASON WINDOW

Oct – Mar, Jun – Jul

Growing & Harvest

White cabbage follows a growing calendar that begins with seedling transplant in late summer and runs through winter, in the Black Sea plains around Samsun and the Marmara plains along the Sakarya-Bursa corridor; cool climate and regular irrigation support the formation of firm, heavy heads. Harvest is done by hand once the head reaches the desired firmness; after outer leaves are trimmed, it is shipped through the cold chain.

Uses & Applications

White cabbage is eaten both raw and cooked in Turkish cuisine; thinly sliced into salads, used as wrapping leaves for stuffed cabbage rolls, and widely used in pickling and other traditional recipes. In export shipments, head firmness and a crack-free surface are regarded as quality markers; freshness holds for a long time when the cold chain is maintained.

Sizes & Calibers

Weight (per head)	Range
500-1,000 g	Small head
1,000-2,000 g	Medium head, standard market size
2,000-4,000 g	Large head

Packaging Options

- 10-15 kg perforated plastic crate
Cold-chain shipping, palletized
- 15-20 kg mesh net bag
Alternative format for wholesale market shipping

Featured Varieties

Winter White Cabbage

Main crop; autumn planting, winter harvest with brief storage supply



Summer White Cabbage

Early season, limited summer harvest





Round winter red cabbage

Cabbage is one of the oldest cultivated vegetables of the Mediterranean basin; red (purple) cabbage, with its anthocyanin pigment and tightly packed round head, has become one of the staple vegetables of the winter season.

Samsun, Sakarya, Bursa

Oct – Mar, Jun – Jul

Red cabbage follows a growing calendar that begins with seedling transplant in late summer and runs through winter, in the Black Sea plains around Samsun and the Marmara plains along the Sakarya-Bursa corridor; the cool, humid climate supports the formation of firm, heavy heads. The plant is tolerant of light frost, and its leaves actually develop more pronounced sweetness after the first frosts. Harvest is done by hand once the head reaches the desired firmness and size; after outer leaves are trimmed, it is shipped through the cold chain.

Red cabbage is eaten both raw and cooked in Turkish and European cuisines; thinly sliced into salads, marinated with vinegar and olive oil as a side dish, and widely used for pickling. Its purple color adds visual vibrancy to salads, driving particular demand in European markets. In export shipments, head firmness, leaf gloss, and a crack-free surface are regarded as quality markers; freshness holds for a long time when the cold chain is maintained.

Weight (per head)	Range
350-800 g	Small head
800-1,500 g	Medium head, standard market size
1,500-3,000 g	Large head

8-10 kg perforated plastic crate

Cold-chain shipping, palletized

10-15 kg carton box

Alternative format for large heads

Winter Red Cabbage

Main crop; autumn planting, winter harvest with brief storage supply



Summer Red Cabbage

Early season, limited summer harvest



VEGETABLES

Leek

Inegol 92, long white-shaft types

The leek is one of the oldest cultivated vegetables of the Mediterranean basin; it holds a deep-rooted place in Anatolian cuisine, from olive-oil dishes to soups, and counts among the indispensable vegetables of winter.



REGIONS

Bursa, İzmir, Mersin

SEASON WINDOW

Oct – Mar

Growing & Harvest

Leek is a cool-climate winter vegetable that tolerates light frosts; the mild winters of the Bursa and İzmir plains allow uninterrupted harvesting from autumn into spring. To obtain a long white shaft, soil is mounded around the base of the plant (blanching); harvest is done by hand once the shafts reach sufficient thickness. After harvest the roots and leaf tips are trimmed, the leeks are bunched, and rapidly cooled.

Uses & Applications

Leeks are shipped mainly for the fresh vegetable market; olive-oil dishes, soups, and savory pastry fillings are their main uses. Kept in the cold chain they retain freshness for a long time, and they are among the vegetables in steady demand in European markets through the winter months.

Sizes & Calibers

Diameter / Length	Range
3-5 cm diameter	Standard caliber, white shaft 15-20 cm long
5-7 cm diameter	Large caliber

Packaging Options

10 kg perforated plastic crate
Bunched, cold-chain shipping
10 kg carton box
Crate alternative, bunched stacking

Featured Varieties

Inegol 92
Main variety; long white shaft, harvested all winter
J F M A M J J A S O N D
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

VEGETABLES

Carrot

Nantes-type carrot, Beypazari carrot

The carrot has been a deep-rooted vegetable in Anatolia for centuries; the Beypazari district of Ankara has become something of a brand in Turkey for its distinctively sweet and juicy carrots.



REGIONS

Konya, Ankara

SEASON WINDOW

Aug – Mar

Growing & Harvest

Carrots grow in the deep, loamy soils of the Konya plain, sown in spring and harvested in autumn; regular irrigation and stone-free, well-worked soil are essential for straight, crack-free root development. Around Beypazari, the region's calcareous soil and karstic spring water give rise to a locally distinctive sweet and aromatic carrot. Harvest takes place once the roots reach the desired diameter, pulled by machine or by hand; after soil residue is removed, the carrots can stay fresh in cold storage for a long time.

Uses & Applications

Carrots are widely used in Turkish cuisine both raw and cooked; grated into salads, diced into stews, and used as a base ingredient in tarator sauces and olive-oil dishes. Beypazari carrots are especially prized for fresh-pressed juice production thanks to their high sugar content and aroma. In export markets, a straight cylindrical shape, bright orange color, and crack-free surface are regarded as quality markers; rapid cooling after harvest keeps them fresh for longer.

Sizes & Calibers

Diameter (mm)	Range
15-25 mm	Thin/baby caliber
25-40 mm	Standard caliber
40 mm+	Thick/industrial caliber

Packaging Options

5-25 kg mesh net bag
Palletized shipping
2-3 kg small retail net
Shelf format
10/20 kg carton box
Double-wall (5-ply) heavy-duty carton, common export alternative

Featured Varieties

Nantes-Type Carrot

Autumn harvest, available from storage through winter



Beypazari Carrot

Local regional type, harvested fresh in autumn





VEGETABLES

Garlic

Taskopru Garlic, Common (Local) Garlic

Garlic has been a core ingredient of Anatolian cuisine and folk medicine for thousands of years; the Taskopru district of Kastamonu has become something of a brand in Turkey with its distinctively pungent, high-allicin garlic carrying protected geographic-indication status.

REGIONS

Kastamonu, Konya

SEASON WINDOW

All Year

Growing & Harvest

Around Taskopru, garlic is planted in autumn (October-November) and harvested in June-July; the region's microclimate and soil composition are key to its characteristic pungency and high dry-matter content. In the Konya plain, larger-bulbed garlic is grown for commercial volume. After harvest, bulbs are cured by drying in sun or shade with stems attached, hardening the outer skin and enabling long-term storage and year-round supply.

Uses & Applications

Garlic is a base aromatic in nearly every Turkish dish; crushed raw into yogurt-based sauces and meze, or cooked into meat and vegetable dishes. Taskopru garlic, with its small bulb size and intense aroma, is especially favored in gourmet and boutique markets, while larger local garlic suits bulk kitchen and industrial use. Well-cured bulbs keep for months in mesh bags under cool, dry conditions.

Sizes & Calibers

Bulb Diameter (mm)	Range
30-45 mm	Small-medium
45-50 mm	Standard export size
50-55 mm	Large
55 mm+	Extra-large

Packaging Options

- 0.5-1 kg mesh net bag
Shelf-ready retail format
- 5-10 kg mesh net sack
Wholesale and HORECA shipping
- Hand-braided garlic rope (12-20 bulbs)
Traditional Taskopru style, gift/boutique retail
- 10-25 kg jute/mesh sack
Bulk wholesale shipping, palletized

Featured Varieties

Taskopru Garlic
Geographic-indication protected, harvested June-July, cured for year-round supply



Common (Local) Garlic
Grown at scale across Konya and central Anatolia



VEGETABLES

Dry Onion

Yellow onion, red onion

The onion is one of the staple crops of Anatolian agriculture with a history stretching back thousands of years; its excellent storability means it can be consumed year-round.



REGIONS

Adana, Hatay

SEASON WINDOW

All Year

Growing & Harvest

Dry onion is grown in open fields across the plains of Mersin and Adana, from seed or transplanted seedlings; well-drained soil and consistent sun exposure are important for healthy bulb development. The plant is considered mature once its leaves yellow and fall over, and harvest is timed accordingly. After harvest, the bulbs become storage-ready as their skin hardens and the outer layers dry out — a curing process that enables long-term storage.

Uses & Applications

Dry onion is a base flavor ingredient in nearly every Turkish dish, used raw in salads and mezze and cooked as the sautéed base of stews. Yellow onion, with its sharp flavor and long shelf life, is favored for cooking, while red onion, being milder and slightly sweeter, is considered better suited to raw eating and salads. Well-cured, firm onions with dry skin can be stored for extended periods in mesh bags under cool, well-ventilated conditions.

Sizes & Calibers

Diameter (mm)	Range
40-60 mm	Small-medium caliber
60-80 mm	Medium-large caliber, standard market size
80-100 mm	Large caliber

Packaging Options

10/25 kg mesh bag
Ventilated, palletized shipping

5 kg small mesh bag
Retail/shelf format

Jumbo bag (1,000-1,250 kg)
For industrial/bulk shipment on request

Featured Varieties

Yellow Onion

Early harvest in spring, available year-round through multi-region sourcing



Red Onion

Early harvest in spring, available year-round through multi-region sourcing





VEGETABLES

Potato

Marabel, Agria

Although the potato only arrived in the 19th century, it quickly became one of the indispensable crops of Anatolian agriculture.

REGIONS

Adana, Hatay

SEASON WINDOW

All Year

Growing & Harvest

Potato is grown from seed tubers in open fields across the Mersin and Adana regions; hilling the soil along the rows keeps developing tubers from being exposed to light and greening, while also supporting growth. Because soil temperature and moisture directly affect tuber formation, planting is timed to suit each region. Harvest involves lifting the tubers from the ground once the plant's foliage has dried back, and tubers are briefly cured afterward to harden their skins.

Uses & Applications

Potato is a staple food prepared countless ways in Turkish cuisine, above all boiled, fried, baked, and mashed. Boiling varieties like Marabel are favored in everyday home cooking for boiling and general meal preparation, while higher-starch varieties like Agria are considered better suited to frying and processing. For export shipments, firm, blemish-free tubers with smooth skin matter, along with cool, dark storage that delays sprouting.

Sizes & Calibers

Diameter (mm)	Range
28-35 mm	Early potato
35-50 mm	Standard table caliber
50-70 mm	Large caliber
70 mm+	Extra-large caliber

Packaging Options

2-3 kg small retail net

Shelf format (Çekok-type)

25/30 kg bulk mesh bag

Palletized shipping, ~40 bags per pallet; Turkish wholesale/retail packaging regulation caps this at 30 kg as of 2026

Featured Varieties

Marabel

German-origin table (boiling) variety, low starch content; available year-round through multi-region sourcing



Agria

Frying and export-grade variety, available year-round through multi-region sourcing





Fruits

17 products · 71 varieties



FRUITS

Cherry

0900 Ziraat, Early Burlat, Lapins, Napoleon

The cherry's scientific name, 'cerasus,' comes from the Black Sea coastal city of Giresun (ancient Kerasos); it is believed to have spread from there to Europe during Roman times.

REGIONS

Manisa, İzmir, Bursa, Isparta

SEASON WINDOW

May – Aug

Growing & Harvest

Cherry trees need winter chilling and are sensitive to late spring frosts, so growers favor locations in Manisa, Izmir, and Bursa that get cold enough in winter yet carry relatively low frost risk during flowering. Harvest starts earlier in lowland orchards and later at higher elevations, which allows the same variety to be picked in succession across regions and stretches out the overall season. Because cherries stop sweetening once picked and can crack in the rain, they are hand-picked directly from the tree once they reach full color and flavor.

Uses & Applications

Cherries are consumed mostly fresh; firm-fleshed, large-sized varieties hold up better through the cold chain. Beyond fresh eating, cherries are also used for compotes and preserves. Rapid post-harvest cooling (pre-cooling) is an important step for preserving fruit firmness and freshness.

Sizes & Calibers

Caliber (mm)	Range
20-22 mm	Standard caliber
22-24 mm	Medium-large caliber (Large)
24-26 mm	Large caliber (Extra Large)
26-28 mm	Extra-large caliber (Jumbo)
28-30 mm+	Premium caliber (Extra Jumbo), rising market demand

Packaging Options

5 kg perforated carton box
Standard wholesale format, approx. 30×40×13.5 cm
2×2.5 kg divided carton
Mid-tier/gift segment
250/350/500 g punnet
On request, multi-pack in a master carton

Featured Varieties

Early Burlat

Early variety that opens the season



0900 Ziraat

Harvested earlier in lowland areas, later in highland areas



Napoleon

Firm flesh, late season



Lapins

Late season, self-fertile, relatively crack-resistant





★ World-Leading Producer

FRUITS

Sour Cherry

Macar, Kutahya

Turkey ranks among the world's largest sour cherry producers; the province of Kütahya has become synonymous with the variety that carries its name, the emblem of the country's sour cherry production.

REGIONS
Kütahya, Bursa, Manisa

SEASON WINDOW
Jun – Aug

Growing & Harvest

The sour cherry is hardier against cold and less demanding than the sweet cherry; the continental-influenced elevations of inner Aegean and Marmara provide the day-night temperature differences that balance the fruit's characteristic tartness with aroma. Fruit is harvested at full color and aroma; picking is done by hand for the fresh market, while mechanical harvesting may be used for processing in some regions. The harvest concentrates in June and July.

Uses & Applications

With its pronounced tart flavor, the sour cherry is largely a processing fruit: cherry juice, jam, canned fruit, frozen (IQF) product, and the patisserie industry are its main outlets. Fresh table consumption also exists, shipped quickly through the cold chain; Kütahya-type varieties with high processing quality are well known in export markets.

Sizes & Calibers

Diameter (mm)	Range
15-18 mm	Standard fresh sour cherry caliber
18-20 mm+	Large caliber

Packaging Options

- 5 kg perforated plastic crate or carton box
Fresh table shipment
- 10 kg crate
Industrial shipment (for freezing/processing)

Featured Varieties

Macar
Early industry type; about two weeks before Kutahya

J F M A M J J A S O N D

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

Kutahya
Main variety; dark red, large, balanced tartness

J F M A M J J A S O N D

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■



Sultana Seedless, Razaki, Antep Karasi, Red Globe, Crimson Seedless

REGIONS

SEASON WINDOW

Growing & Harvest

Sizes & Calibers

Packaging Options

Featured Varieties

J F M A M J J A S O N D

J F M A M J J A S O N D



FRUITS

Fig

Bursa Black, Sarilop (Aydin Fig)

The fig has grown in the fertile soils of the Aegean region for thousands of years; the Aegean's dried figs are renowned worldwide.

REGIONS

İzmir, Muğla, Bursa, Aydın

SEASON WINDOW

Jul – Oct

Growing & Harvest

The fig tree adapts well to hot, semi-arid climates and can produce a good yield even with limited irrigation; the hot summers and well-drained soils of İzmir, Muğla, and Bursa suit both fresh and drying fig production. Fruit is hand-picked, generally every few days during the harvest season, once it has fully ripened on the tree; drying varieties are left to ripen until they are ready to naturally drop and begin drying in the sun. Because fresh figs are a very delicate fruit, careful handling is needed during harvest and transport.

Uses & Applications

Figs are eaten both fresh and dried; fresh figs have a short shelf life and are meant for quick consumption, while sun-dried or controlled-environment-dried figs can be stored for a long time and eaten year-round. Dried figs can be eaten as they are, or used in desserts, breakfast mixes, and certain baked goods. Keeping moisture content at the right level is important for the storage quality of dried figs.

Sizes & Calibers	
Dried Fig Caliber (count/kg)	Range
No.1 (Jumbo)	36-40 pcs/kg
No.3	51-55 pcs/kg
No.5 (Medium)	61-70 pcs/kg
No.7	70-80 pcs/kg
No.9	91-100 pcs/kg
No.10 (Small)	100-140 pcs/kg

Packaging Options

- Fresh: 2/5 kg perforated carton box**
Or small 4-6-count trays
- Dried: 1/2/3/5/10/12.5 kg carton box**
Bulk format, sometimes with an acetate window
- Dried: 200-500 g vacuum/cellophane retail pack**
Natural, Lerida, or Garland (wreath) style


Featured Varieties

Bursa Black
Suitable for fresh consumption

J F M A M J J A S O N D

Sarilop (Aydin Fig)
For drying, a widely grown variety

J F M A M J J A S O N D



★ World-Leading Producer

FRUITS

Apricot

Hasanbey, Alyanak, Sekerpare, Ninfa, Tomcot, Kabaasi

The apricot spread from Central Asia to Anatolia via the Silk Road; Malatya and its surroundings are today regarded as one of the world's most important apricot-growing centers. The dry, sunny climate of the Euphrates Valley has offered ideal conditions for apricot cultivation for centuries, making the region a world leader in both table and dried apricots.

REGIONS

Malatya, Mersin

SEASON WINDOW

May – Sep

Growing & Harvest

Apricot trees flower early and are therefore sensitive to late spring frosts; Malatya's continental climate, with cold winters that supply the chilling hours the trees need and hot, dry summers, provides favorable conditions for apricot growing. In orchards stretching along the Euphrates Valley, fruit is generally hand-picked in several passes once it reaches full color and flavor; because apricots ripen only to a limited extent after picking, harvest timing has a direct effect on fruit quality. Their soft texture calls for careful handling during picking and packing.

Uses & Applications

Malatya apricots supply both fresh consumption and the region's world-famous dried apricot production; table varieties are grown mainly for fresh eating, while apricots are also widely processed into jam, marmalade, juice, and especially dried apricots. Because ripe apricots are a delicate fruit, getting them to the consumer quickly through the cold chain is important for preserving fresh quality.

Sizes & Calibers	
Caliber (mm)	Range
C	30-35 mm
B	35-40 mm
A	40-45 mm
AA	45-50 mm
AAA	50-55 mm
AAAA	55-60 mm

Packaging Options

30×50×10 cm single-layer carton
2-3 kg net, 160 boxes on a 100×120 cm pallet

17×26×10 cm small carton
2 kg net, 420 boxes on a 100×120 cm pallet

5 kg single-layer tray carton
Bruise-preventing alternative preferred in international markets

5-10 kg large carton
Wholesale shipment format

Featured Varieties

Hasanbey
Malatya's leading table apricot variety, main export variety

J F M A M J J A S O N D

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

Ninfa
Very early; opens the season along the Mediterranean coastal strip

J F M A M J J A S O N D

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

Alyanak
Early-mid season; large table variety with a red blush

J F M A M J J A S O N D

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

Sekerpare
Small-to-medium, high-sugar local table variety

J F M A M J J A S O N D

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

Tomcot
International early variety

J F M A M J J A S O N D

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

Kabaasi
Native Malatya variety; dual-purpose, used both fresh and for drying

J F M A M J J A S O N D

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■



FRUITS

Pomegranate

Hicaznar, Ernar, Wonderful, Beynarı, Fellahyemez

The pomegranate is regarded as a symbol of abundance and fertility in Anatolia and the ancient cultures of the surrounding region; it is one of the oldest fruits of the area.

REGIONS

Mersin, Antalya, Muğla

SEASON WINDOW

Aug – Feb

Growing & Harvest

The pomegranate tree is highly drought-tolerant and thrives in hot, semi-arid climates, which makes the warm plains of Mersin and Antalya well suited to its cultivation. Fruit is harvested once the rind darkens and the arils reach an adequate sugar level; since pomegranates do not continue ripening after picking, they must be hand-picked at the right time. Keeping irrigation well balanced is one of the key practices growers use to prevent the rind from splitting.

Uses & Applications

Pomegranates are eaten fresh and also processed into pomegranate juice and pomegranate molasses; tarter varieties are traditionally preferred for producing the sour molasses used in salads and as a sauce in cooking. The arils keep well in cold storage, which allows a consumption and export window that extends into the winter.

Sizes & Calibers

Caliber (diameter / weight)	Range
D	51-60 mm, 201-300 g
C	61-70 mm, 301-400 g
B	71-80 mm, 401-500 g
A	81 mm+, 501 g+

Packaging Options

30×50×13 cm single-layer carton
4-5 kg net, 144-180 boxes on a 100×120 cm pallet

Modified atmosphere packaging (MAP)

Shelf-life-extending option on request

Featured Varieties

Ernar

Early variety; opens the season in August



Hicaznar

Dark red, sweet-tart, main export variety; shipped from storage into January



Wonderful

The standard variety of world markets; late season, stores well



Beynarı

Large-grained, local variety



Fellahyemez

Tart, processing-type variety





FRUITS

Strawberry

Fortuna, Festival, Albion

Strawberries are grown across a wide area of Turkey, from the Mediterranean coast to the Aegean and Marmara; districts such as Silifke (Mersin) and Sultanhisar (Aydın) have made their names with strawberry production and are known for their strawberry festivals.

REGIONS

Mersin, Aydın, Bursa

SEASON WINDOW

Jan – Jul

Growing & Harvest

The strawberry season can be stretched considerably depending on the production method: protected cultivation (greenhouses and low tunnels) in Mersin allows early harvest at the end of winter, Aydın supplies the spring window, and Bursa and highland plantings extend picking into the summer months. Fruit is picked by hand with the calyx attached, just before full coloring; because strawberries do not ripen after picking, harvest timing directly determines eating quality. As an extremely delicate fruit, it demands careful handling and rapid pre-cooling at every step.

Uses & Applications

Strawberries serve fresh consumption first and foremost, along with wide use in patisserie, jam and marmalade production, and the frozen food (IQF) industry. Because shelf life is short, speed from harvest to consumer and an unbroken cold chain are decisive; punnet packaging carries the fruit to the retail shelf without bruising.

Sizes & Calibers

Diameter (mm)	Range
18-25 mm	Class I-II
25 mm+	Extra Class

Packaging Options

250/500 g punnet
8 per carton, uninterrupted cold-chain shipping

2.5/5 kg perforated carton box
Wholesale/food service format

Featured Varieties

Fortuna
Early season; harvested from late winter under protected cultivation



Festival
Early-mid season, firm-fleshed export variety



Albion
Day-neutral variety; highland production extends harvest into summer





FRUITS

Peach

Redhaven, UFO (Flat Peach), Cardinal, Monroe, Royal Summer

The peach reached Anatolia from China via Silk Road trade; Bursa's climate proved so well suited to this fruit that in 2024 'Bursa Peach' received EU geographic-indication registration.

REGIONS

Bursa, Mersin, Antalya

SEASON WINDOW

May – Sep

Growing & Harvest

Peach trees do well in temperate climates that get enough winter chilling but are sheltered from spring frosts; the differing climates of Bursa, Mersin, and Antalya allow early- and late-season varieties to be harvested in succession. Fruit shows ripeness through a shift in ground color and a slight softening of the flesh; since peaches ripen only to a limited degree after picking, they are generally hand-picked in several passes at the right time. Their soft, delicate structure requires careful handling during harvest.

Uses & Applications

Peaches are mainly grown for fresh consumption, and are also used for compotes, preserves, and juice production. Firm-fleshed varieties that travel well are favored for export and long-distance shipping, while softer varieties are generally directed to local fresh markets. Cold-chain handling after harvest is key to preserving fruit firmness and freshness.

Sizes & Calibers

Caliber (mm / g)	Range
D	51-56 mm, 65-85 g
C	56-61 mm, 85-105 g
B	61-67 mm, 105-135 g
A	67-73 mm, 135-180 g
AA	73-80 mm, 180-220 g
AAA	80-90 mm, 220-300 g
AAAA	90-97 mm, 300 g+

Packaging Options

- 30×50×10 cm single-layer carton
2-3 kg net, 160 boxes on a 100×120 cm pallet
- 17×26×10 cm small carton
2 kg net, 420 boxes on a 100×120 cm pallet

Featured Varieties

Redhaven

Main export variety, good for transport, firm and juicy flesh



UFO (Flat Peach)

Flattened/disc-shaped, high sugar content, firm and juicy flesh, resistant t...



Cardinal

Early season variety



Monroe

Late season, yellow-fleshed variety



Royal Summer

Modern early-mid season variety





FRUITS

Nectarine

Independence, Armking, Venus, Big Top, Orion, Gransun

The nectarine, a fuzz-free variant of the peach, has been grown for centuries; Turkey's temperate-climate regions offer ideal conditions for this fruit.

REGIONS

Bursa, Mersin, Antalya, Manisa

SEASON WINDOW

May – Sep

Growing & Harvest

Nectarines share the same growing requirements as peaches; a temperate climate, adequate winter chilling, and well-drained soil support good yields in orchards across Bursa, Mersin, Antalya, and Manisa. Because its skin is fuzz-free, the fruit can be somewhat more prone to scuffing and sunburn than peaches, so careful handling during harvest and packing matters. Fruit ripens as its ground color shifts, and is generally hand-picked in several passes.

Uses & Applications

Nectarines are consumed mainly fresh; their sweet, aromatic character also lends itself to fruit salads, desserts, and, to a lesser extent, compotes. Compared to peaches, their thinner, glossy skin makes them easy to wash and eat skin-on. Cold-chain storage after harvest is important for preserving freshness.

Sizes & Calibers

Caliber (mm / g)	Range
D	51-56 mm, 65-85 g
C	56-61 mm, 85-105 g
B	61-67 mm, 105-135 g
A	67-73 mm, 135-180 g
AA	73-80 mm, 180-220 g
AAA	80-90 mm, 220-300 g
AAAA	90-97 mm, 300 g+


Packaging Options

30×50×10 cm single-layer carton
2-3 kg net, 160 boxes on a 100×120 cm pallet
17×26×10 cm small carton
2 kg net, 420 boxes on a 100×120 cm pallet

Featured Varieties


Independence

Early season, yellow-fleshed




Armking

Mid-season variety




Venus

Freestone (pit separates easily), late season, grown in the Bursa region



Big Top

Vivid red skin, mid-season; one of the world's most widely planted nectarine...



Orion

Large-fruited, late season variety



Gransun

Yellow-fleshed, mid-season export variety





FRUITS

Plum

Seker Erigi, Can Erigi, Turbe Erigi, Murdum Erigi, Bardak Erigi, President, Black Amber, Angeleno

The plum originates from the Caucasus and Central Asia and has been grown on Anatolian soil since very ancient times; the rich diversity of local varieties, ranging from Seker plum to Murdum and Bardak plums, points to a cultivation tradition spanning different climate zones for centuries.

REGIONS

Hatay, Adana, Mersin, İzmir, Manisa, Bursa

SEASON WINDOW

Apr – Nov

Growing & Harvest

The plum tree tolerates a wide range of climates, so it can be grown in regions as varied as the warm plains of Hatay, Adana, and Mersin and the temperate climate of Izmir, Manisa, and Bursa; this diversity allows the harvest season to stretch from spring into autumn. Early varieties are eaten while still green with a tart flavor, while late varieties are picked once they reach full color and high sugar content on the tree. Because of its soft, delicate texture, plum is generally hand-picked in several passes and requires careful handling after harvest.

Uses & Applications

Plum is mainly eaten fresh; tart early varieties are sometimes salted or steeped in brine, a traditional method that balances the fruit's sourness. Ripe, sweet varieties are eaten fresh, and plums are also widely used to make dried plums, jam, marmalade, and compote. Rapid cooling after harvest and cold-chain storage play an important role in preserving the freshness and texture of this soft fruit.

Sizes & Calibers

Caliber (mm)	Range
6	44-47 mm
8	50-53 mm
10	57-60 mm
12	63-67 mm
14	70-73 mm

Packaging Options

30×50×10 cm single-layer carton
2-3 kg net, 160 boxes on a 100×120 cm pallet

2.5 kg perforated carton box
Small-pack option

30×40 cm carton box
5 kg net, wholesale shipment format

Featured Varieties

Seker Plum

First plum variety of the season, small and high ...



Can Plum

Early season, tart when green, sweetens as it...



Turbe Plum

Large-fruited, tart before full ripeness, mid-season



Murdum Plum

Purple-red colored, late season variety



Bardak Plum

Cup-shaped, large-fruited, late season...



President

Late-season export variety; large, dark purp...



Black Amber

Dark purple-black skin, international export...



Angeleno

Very late season, dark purple skin





FRUITS

Watermelon

Crimson Sweet, Black Pearl, Mini Watermelon

The watermelon has been the essential refreshing fruit of the summer months since Ottoman times; different regions of Anatolia are known for their own distinctive watermelon varieties.

REGIONS

Antalya, Adana, Mersin, İzmir, Bursa

SEASON WINDOW

Apr – Oct

Growing & Harvest

Watermelon is a heat- and sun-loving member of the cucurbit family that is sensitive to cold; the warm plains of Antalya, Adana, and Mersin offer favorable conditions for both open-field and greenhouse production. Greenhouse growing, common in Antalya, allows an earlier start to harvest than open-field production. The season opens in April with Antalya's protected (greenhouse) production; in May, Adana's open-field harvest takes over — Adana alone accounts for roughly one fifth of Turkey's watermelon output. As summer advances, harvesting shifts to Izmir and the inner regions, then on to Bursa, Bilecik, and Thrace, keeping supply uninterrupted into autumn. Ripeness is judged by the yellowing of the ground spot where the fruit touches the soil, the drying of the tendril near the stem, and a dull sound when the rind is tapped; fruit is harvested by hand, cut from the vine.

Uses & Applications

Watermelon is eaten almost entirely fresh, valued in summer for its high water content and refreshing quality; it is also used sliced or cubed in fruit salads. The thickness and sturdiness of the rind largely protects the fruit from impact during transport. Once cut, refrigeration is recommended to preserve freshness.

Sizes & Calibers

Weight (kg)	Range
3-8 kg	Standard/small-medium caliber
8-10 kg	Medium-large caliber
10-12 kg+	Large caliber
1-4 kg	Mini/seedless watermelon

Packaging Options

Bulk truck/container loading

Loaded directly with no individual separation

500-1,000 kg pallet bin

Palletized, forklift-handled bulk shipment format

600x400x230 mm carton

15 kg net, standard export carton

Mini Watermelon: carton of 2-4 units

Individually cushioned

Featured Varieties

Crimson Sweet

Light green rind with dark stripes, oval, 8-12 kg; the world's most widely grown variety, main export variety, starts in Antalya under protected cultivation in April, then Adana an...



Black Pearl

Stripeless dark green-blackish rind, blood-red flesh, large-sized; seedless types are common



Mini Watermelon

Small size (1.5-4 kg), mostly seedless, early-ripening





FRUITS

Melon

Kirkagac (Altinbas), Kallavi, Galia, Ananas, Piel de Sapo

The melon holds an important place in Anatolia's ancient farming culture; regions such as Kirkagac in Manisa have become identified with their own melon variety.

REGIONS

Antalya, Adana, Mersin, Manisa

SEASON WINDOW

Jun – Feb

Growing & Harvest

Melon, much like watermelon, is a heat- and sun-loving crop; the hot, dry summer conditions of Antalya, Adana, Mersin, and Manisa suit the cultivation of thick-rinded melon varieties that store well. Ripeness is generally judged by how easily the stem separates, a change in rind color, and the appearance of the fruit's characteristic aroma; fruit is harvested by hand, cut from the vine. Thick-rinded, late-season varieties can be stored for months afterward in cool, dry conditions.

Uses & Applications

Melon is grown mainly for fresh consumption; it is eaten sliced on its own, served in fruit platters, and in some regions paired with cheese. Thin-skinned, aromatic varieties are typically harvested for quick consumption, while thick-rinded varieties are better suited to long-term storage and transport. Refrigeration after cutting helps preserve freshness.

Sizes & Calibers

Caliber (weight)	Range
Caliber 9-10	750-1,050 g, Piel de Sapo type, medium size
Caliber 6-8	1,050-1,700 g, Piel de Sapo type, large size
Caliber 6-8 (Galia/Cantaloupe)	550-850 g

Packaging Options

10 kg single-layer carton
3-6 fruits by caliber, Piel de Sapo type large melon
5 kg net carton
Galia/Cantaloupe type, ~112-120 boxes on a 100x120 cm pallet
300-400 kg bin
Palletized bulk loading
Single-fruit retail net
On request

Featured Varieties

Kirkagac (Altinbas)

Thick-rinded, white and juicy flesh, can be stored long-term; main export variety



Kallavi

Oval-shaped, white flesh, balanced taste and aroma, long shelf life



Galia

Small size, thin netted rind, aromatic



Ananas

Greenish suture streaks on a yellow rind; aromatic table variety



Piel de Sapo

Spanish type; long shelf life, export-oriented production





FRUITS

Apple

Gala, Starking, Golden Delicious, Granny Smith, Fuji, Pink Lady

The wild ancestors of the apple are thought to have evolved across a geography stretching from Central Asia to Anatolia; Anatolia has long been an important center of apple cultivation.

REGIONS

İzmir, Manisa, Antalya, Isparta

SEASON WINDOW

Aug – Feb

Growing & Harvest

Apples need winter chilling and develop better color and sugar content in areas with a marked difference between day and night temperatures; the cooler inland elevations of Izmir, Manisa, and Antalya offer favorable orchard sites in this respect. Fruit is generally hand-picked; harvest timing varies by variety but is guided by criteria such as ground color, firmness, and sugar content. Apples picked at the right time and kept under good cold-storage conditions can stay fresh for months.

Uses & Applications

Beyond fresh eating, apples have a wide range of uses, including juice, molasses, dried apple, and baking. Varieties kept in controlled-atmosphere cold storage can reach the market year-round, not just during the harvest season, which is part of why apples are known for their long shelf life.

Sizes & Calibers

Diameter (mm)	Range
55-60 mm	Gala, Pink Lady – Class I-II lower bound
60-70 mm	Gala, Pink Lady – Extra Class / Starking, Fuji – Class I-II
70-90 mm	Starking, Fuji – Extra Class, standard market size
90-125 mm	Large caliber, special order

Packaging Options

50×30×18 cm 2-layer carton
10 kg net, 100 boxes on a 100×120 cm pallet
4-layer telescopic carton
18 kg net, 60 boxes on a 100×120 cm pallet
40×33×28 cm carton
18 kg net, 80-210 fruits per box depending on caliber
Plastic crate
Alternative for domestic market and short-haul shipment

Featured Varieties

Gala
Early-mid season
J F M A M J J A S O N D
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
Starking (Red Delicious)
Mid-late season
J F M A M J J A S O N D
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
Golden Delicious
Late variety, sold year-round from storage
J F M A M J J A S O N D
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

Granny Smith
Tart, late harvest
J F M A M J J A S O N D
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
Fuji
One of the world's most consumed apple varieties; late season, long shelf life
J F M A M J J A S O N D
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
Pink Lady
One of the latest-harvested varieties, late season
J F M A M J J A S O N D
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■



Akca, Santa Maria, Carmen, Deveci

REGIONS

SEASON WINDOW

Growing & Harvest

Pear trees need winter chilling and do well in temperate-to-cool climates; the climate of Izmir, Manisa, and Bursa, which provides adequate winter chilling along with warm summers, supports growing varieties with different ripening times. Pears are generally picked before they are fully ripe on the tree, based on firmness and ground color; many varieties are then left to rest for a period after harvest to soften and develop their full aroma. This is why pears are counted among the fruits that continue ripening after being picked.

Uses & Applications

Pears are mostly eaten fresh; firm-fleshed, long-keeping varieties can be stored in cold storage for months, while juicier varieties are harvested for quicker consumption. Besides fresh eating, pears are also used in compotes, jams, and desserts. Ripening at the right temperature after harvest (for some varieties, resting at room temperature after coming out of cold storage) plays a large part in determining the pear's final aroma and texture quality.

Sizes & Calibers

Diameter (mm)	Range
55-60 mm	Small-medium caliber, Class I-II
60-70 mm	Medium caliber, Extra Class lower band
70-95 mm	Large caliber, Extra Class standard market size

Packaging Options

Single-layer tray 40×60×10 cm

7 kg net, 100 trays on a 100x120 cm pallet

Single-layer tray 30×50×10 cm

4-5 kg net, 160 trays on a 100x120 cm pallet

70-count carton tray

Pre-retail preparation, 70 fruits per box

Featured Varieties


Akca

Early local variety that opens the season



Santa Maria

Early-mid season, juicy and aromatic



Carmen

Red-skinned, mid-season



Deveci

Late season, firm flesh, stores well for long periods





FRUITS

Quince

Eşme quince, Bread quince

The quince is an ancient fruit believed to originate from Anatolia and the Caucasus; it has earned a special place on winter tables and in desserts.

REGIONS

İzmir, Mersin, Uşak

SEASON WINDOW

Oct – Feb

Growing & Harvest

The quince tree does well in regions with cold winters and mild summers; the differing climates of Izmir and Mersin allow both early- and late-season varieties to be grown. Fruit is considered ready for harvest once the skin turns yellow and its characteristic aroma becomes pronounced; a quince largely keeps its firm texture after ripening, which makes it relatively tolerant of post-harvest transport. Harvest is generally done by hand in the autumn.

Uses & Applications

Unlike apples and pears, quince is a fruit that is mostly cooked rather than eaten raw; it is widely used for jam, marmalade, desserts, and compotes, and also features in savory dishes. Its firm flesh and low moisture content let it keep well in cold storage for a long time, which allows it to reach the market throughout the winter months.

Sizes & Calibers

Caliber (count/box)	Range
14	Large caliber, in a 6-7 kg box
16-18	Medium caliber, standard market size
20	Small caliber

Packaging Options

40x55x11 cm single-layer carton
6-7 kg net, 80 boxes on a 100x120 cm pallet

Double-wall (moisture-resistant) carton
Preferred alternative given quince's sensitivity to moisture

Featured Varieties

Eşme Quince

The most widely exported variety, stores well for long periods



Bread Quince

Winter consumption





Fuyu type (eaten firm), Hachiya type

REGIONS

SEASON WINDOW

Growing & Harvest

Sizes & Calibers

Packaging Options

30×50×10 cm single-layer carton

3-4 kg net, each fruit individually cushioned in a tray, 144 boxes on a 100×120 cm pallet

Cold-chain pre-cooling

Rapid pre-cooling after harvest plus 0-2°C transport

Uses & Applications

Featured Varieties

Fuyu type (non-astringent)

Table type eaten firm; the main export item



Classic type eaten fully softened





FRUITS

Kiwifruit

Hayward, Gold Kiwi, Greenlight

Kiwifruit entered Turkey in the late 1980s and spread quickly along the mild, humid Marmara and eastern Black Sea coastal strip; Yalova and Ordu are today the centers of production.

REGIONS

Yalova, Ordu, Bursa

SEASON WINDOW

Oct – Mar

Growing & Harvest

The kiwifruit is a climbing plant that needs a mild, humid climate and a long frost-free growing period; the sea-moderated climate and rainfall patterns of Yalova and Ordu suit kiwifruit orchards well. Vines are trained on pergola systems; fruit is harvested by hand in a single pass in October-November, once dry matter/sugar levels reach target values. Since kiwifruit ripens after harvest, fruit picked at the right time can be kept in cold storage for months.

Uses & Applications

Kiwifruit is consumed mostly fresh; rich in vitamin C, it is one of the sought-after fruits of the winter months. Stored under controlled conditions, kiwifruit can be supplied to the market until spring, well beyond the harvest season — an advantage in winter and early-spring exports. It is shipped firm, and softens at room temperature before consumption.

Sizes & Calibers

Caliber Code	Range
23	125-135 g
27	105-115 g
33	85-95 g
39	75-80 g
46	65-70 g

Packaging Options

50×30×18 cm 3-layer tray
9 kg net, 80 trays on a 100×120 cm pallet

60×40×18 cm single-layer tray
3 kg net, 240 trays on a 100×120 cm pallet

40×30×22 cm bulk box
9 kg net, 60-100 boxes per pallet

Featured Varieties

Hayward

The world's most widely grown kiwifruit; October-November harvest, supplied from storage until spring



Gold Kiwi

Yellow flesh, smooth skin, sweeter



Greenlight

Green flesh, early-season type



■ peak season · ■ supply window

[illegible]



MG SARIKAYA

Contact

Kocatepe Mah., Istanbul Bayrampaşı
Wholesale Market Unit No: 304
34045 Bayrampaşı / Istanbul, Türkiye

+90 534 585 09 44

info@mcsarikayagida.com

www.mcsarikayagida.com



Scan the QR code for our website

Season information in this catalog may vary with annual climate conditions; contact us for current availability.